

Introduction

Altered Images (Contractors) Ltd, hereon referred to as Altered Images, are fully committed to providing the highest standards of health and safety and have implemented a Safety Management System monitored by our Health and Safety Consultants, MS Associates (Safety) Ltd trading as MSA Safety Ltd., to ensure this is achieved.

This policy has been prepared as required by Section 2(3) of the Health and Safety at Work etc. Act 1974 and is in three parts. Part 1 (General Statement) affirms the Director's commitment to the prevention of both accidents and ill-health to employees, non-employees and members of the public and Part 2 (Organisation & Responsibilities) and Part 3 (Arrangements) describe how this is to be achieved.

This policy is published for the benefit of all our Company employees, who should ensure they are familiar with the contents. With all employees committed to health and safety, this will ensure that all Company work locations provide a safe and healthy working environment.

Contents

Part 1 – General Statement 5

Organisation & Responsibilities 6

 Organisation Chart 6

 Health & Safety Responsibilities 7

 Managing Director 7

 Surveyor 8

 Supervisors 9

 All Employees 10

 Contractors on Company Premises/Sites 11

 Visitors to Company Premises 11

Part 3 – Health & Safety Arrangements 12

 Health & Safety Assistance 12

 Safety Management System (SMS) 12

 Reviews & Updates 12

 Risk Assessments & Method Statements 12

 Young Person’s Risk Assessment 13

 Health Surveillance 14

 Training 14

 Consultation & Communication 15

 Management of Contractors 16

 Self-Employed Labour 17

 Accidents 17

 Fire 19

 Health Risk Management 19

 Asbestos 19

 Hazardous Substances (COSHH) 20

 Noise 21

 Vibration 21

 Manual Handling 22

 Silica 23

 Welfare 24

 First Aid 24

 Stress Management 25

Mental Health First Aid.....	25
Personal Protective Equipment (PPE).....	27
Drugs & Alcohol.....	27
Lone Working.....	28
Office Safety.....	28
Display Screen Equipment.....	29
New & Expectant Mothers.....	29
Construction (Design and Management) Regulations 2015 Project Management.....	30
Responsibilities as a Principal Contractor Under CDM 2015.....	30
Responsibilities as a Contractor Under CDM 2015.....	32
Work Activities.....	33
Working with Electricity.....	33
Working with Gas.....	34
Working with Power Tools.....	34
Plant and Equipment.....	35
Lifting Operations.....	36
Temporary Works.....	36
Work at Height.....	37
Roof Work.....	39
Hot Works.....	40
Workplace Transport Safety.....	40
Driving at Work.....	40
Working in Occupied Premises.....	41
Housekeeping.....	41
Safety Policy Communication.....	42

Policy Amendment History

Version	Date	Amendment Details
4.0	24/01/2024	New issue
4.1	10/12/2024	A few minor adjustments. Construction and ISO accreditation logos added to front page, Links inserted and checked as current. First aid at work Regulation 1981 L74 mental health update added, Dust management added to COSHH

Version	Author	Date
4.0	MSA Safety Ltd - AS	24 January 2024
4.1	MSA Safety Ltd -DJ	10 th December 2024

Compiled and updated by



Part 1 – General Statement

Altered Images is fully committed to encouraging a culture of openness within our workforce in regard to health and safety. Not just as a matter of importance, but also as an essential part of our responsibilities. Furthermore, we regard the promotion of health and safety matters as a mutual objective of both management and employees to ensure that practical, achievable safety standards are agreed and maintained by everyone within our organisation.

It is, therefore, the Company's policy to do all that is reasonably practicable to prevent personal injury and damage to property and to protect everyone from foreseeable risks, including the general public, insofar as they interface with the Company or our activities.


The Company will:

- provide and maintain a safe and healthy working environment at each of our locations, in accordance with the relevant statutory requirements.
- provide sufficient information, instruction and training for all our employees, as is necessary for them to conduct their work activities in a safe manner.
- provide and maintain machinery, equipment etc. and systems of work that are safe and without risks to health.
- provide and maintain means of access to and from the workplace that are safe and without risks to health.
- provide and maintain adequate facilities and arrangements for the welfare of our employees whilst at work.
- arrange safe and healthy systems for use, handling, storage and transport of hazardous materials.

Good safety management begins with the commitment of senior management to ensure that the responsibilities and arrangements detailed within this document are carried out fully.


Anthony Williams is appointed as the Director responsible for health and safety. He puts in place arrangements for the effective implementation of the Company's health and safety policy.

This policy is reviewed at least annually and revised as often as may be appropriate.

Name	Signature	Position	Date
Anthony Williams		Director	10/12/2024

Organisation & Responsibilities

Organisation Chart



Health & Safety Responsibilities

These responsibilities within this policy describe the Company's organisation for health and safety, which aims to ensure management control over health and safety.

Ultimate responsibility for health and safety rests with the Directors. Organisation charts are posted on notice boards and demonstrate the unbroken and logical delegation of duties through line management to the supervisors who operate where the hazards arise.

Everyone within our organisation has a significant contribution to make towards accident prevention and are assigned responsibilities as follows:

Managing Director

The Managing Director is the director responsible for health and safety and ensures the effectiveness of this policy.

In particular, they will:

- have full knowledge of all parts of this policy and how it relates to the health and safety management system.
- authorise health and safety expenditure.
- implement required training for staff at all levels.
- ensure that all employees have knowledge of this policy and that they are updated when any changes are made.
- seek the advice of the safety consultants whenever needed and heed the advice given.
- inform the consultants in good time of work that they are required to do.
- consult with the workforce over any changes that may affect health or safety.
- ensure that any contractor appointed or self-employed person working on behalf of the Company, is competent to do the work.
- ensure that plant and machinery used by the Company is to a suitable standard.
- keep records as required by legislation and retain documents for the appropriate time periods.
- liaise with the Principal Designer, Principal Contractor and other contractors as required for effective project management and under the requirements of the Construction (Design and Management) Regulations 2015.
- sign and date the general statement and ensure that this policy is reviewed at least annually.
- give support and encouragement to all managers for whom they are responsible.

- initiate disciplinary action against staff who do not comply with their duties under this policy or statutory requirements.
- set a personal example of safe behaviour and acknowledge suggestions for improvement.

Surveyor

The Surveyor is accountable to the Managing Director and have professional responsibilities to the health and safety of the people who will work on site, and to the end users of the building.

In particular they will:

- ensure they read and understand the Company's health and safety policy and comply with the arrangements.
- ensure that they oversee the health and safety implications of cost management.
- ensure that records are kept of competency checks on subcontractors and self-employed persons who work for Altered Images.
- provide Pre-Qualification Questionnaires to all contractors and ensure they are completed and reviewed before appointment.
- ensure materials and equipment are procured taking into account health and safety issues and that product data, test certification, material safety data sheets, etc. are provided and available before use.
- ensure they keep up to date with the latest building regulations, legislation requirements for training, site design and supervision, and due diligence.
- ensure that risk assessments for all work activities under their control are carried out and where appropriate, ensure that method statements are prepared detailing how the work is to be done safely.
- review contractor's risk assessments and method statements, to ensure they are suitable and sufficient for the work activities for which they are written.
- ensure that adequate resources are made available for the safe conduct of every project under their control.
- ensure that all work activities are adequately supervised by trained and competent persons.
- control all contractors and subcontractors in order to ensure safe and healthy systems of work, low fire risk, proper use of shared facilities and co-operation between companies or allied trades in an unselfish and co-operative manner.
- ensure that each new member of the site workforce is given induction training, including the precautions and procedures appropriate to their specific tasks.
- record, report and ensure that all accidents are investigated and ensure that remedial measures are taken to avoid recurrence.

- ensure that near miss incidents are recorded, reported and investigated as appropriate.
- ensure that personal protective equipment (PPE) needs are assessed and that an adequate supply is available, issued and properly used.
- ensure adequate arrangements for welfare and the provision of first aid.
- ensure that all supervisors and operatives are trained, competent and aware of their duties and responsibilities.
- implement required training for staff at all levels.
- ensure that all employees have knowledge of this policy and that they are updated when any changes are made.
- seek the advice of the safety consultants whenever needed and heed the advice given.
- inform the consultants in good time of work that they are required to do.
- consult with the workforce over any changes that may affect health or safety.
- ensure that the requirements of health and safety legislation, i.e., the Construction (Design and Management) Regulations (CDM) 2015, are complied with as they apply to the Company activities.
- ensure they promote safe working methods by providing detailed information and instructions to all employees and sub-contractors.
- provide adequate information to enable safety management systems to be implemented to control high risk activities.
- provide adequate information, as required, to ensure the correct implementation of designs, in particular where design changes affect the risk environment on the site.
- ensure they report any unsafe situation observed whilst on site, to the Site Supervisor/Site Manager.
- set a personal example and carry out their own work in a safe manner.

Supervisors

Supervisors are accountable to the Director for the implementation of the Company's health and safety policy and site-specific methods of work.

In particular, they will:

- ensure that all operatives have signed into the daily site register and have received a site induction where necessary.
- ensure that operatives are familiar with method statements and risk assessments, carrying out toolbox talks to ensure full understanding if necessary.
- ensure that subcontractors and self-employed personnel conduct their activities in a safe manner and comply with safety rules, their method statements and procedures.

- encourage operatives to report any hazards observed and any defects in plant, tools or equipment.
- address any hazards reported or observed and take out of service any defective plant, tools or equipment.
- ensure that all plant, tools and equipment used are safe, free from defect and has the required statutory certification, where appropriate.
- ensure that all plant operators possess a valid certificate of training for the class of plant to be operated.
- ensure that operatives tidy away any debris, packaging materials, off cuts etc., that could cause a slipping or tripping hazard to themselves or other trades.
- ensure that personal protective equipment (PPE) is provided and used as required by the Company rules and procedures.
- use the Company disciplinary procedures when appropriate to ensure compliance with health and safety law.
- co-operate with the health and safety advisor in all health and safety matters.
- set a personal example of safe behaviour.

All Employees

All employees must also comply with the requirements of the Company's health and safety policy and cooperate with the Company in our efforts to prevent accidents and ill health.

In particular, they will:

- take reasonable care for the safety of themselves and of any other persons who may be affected by what they do or fail to do at work.
- co-operate with their employers or any other persons in the performance of their statutory duties.
- not misuse or interfere with anything provided in the interests of health, safety or welfare.
- read and comply with the Company's health and safety rules.
- behave in a responsible manner at all times.
- develop and demonstrate a personal concern for the health and safety of themselves and others.
- report damage to plant, tools or equipment to their immediate supervisor.
- use only plant, tools and equipment for which they have received training and authorisation.
- use and look after the protective equipment provided and report to their supervisor when it becomes worn or defective.
- ensure that any personal injuries are recorded in the accident book.
- inform their supervisor of any near miss incidents.

- propose to their immediate supervisor ways of eliminating hazards and improving safety at their workplace.

Contractors on Company Premises/Sites

All contractors working on Company premises or on any site where Altered Images has been appointed Principal Contractor will at all times cooperate with the Company's rules and procedures.

In particular, they will:

- provide a copy of their health and safety policy and any risk assessments, procedures and method statements relating to the work to be undertaken.
- ensure that their activities are conducted safely, without risk to health, and in accordance with all relevant health and safety legislation.
- ensure all work activities comply with the specific requirements of the Company's clients, where applicable.
- ensure that all accidents or injuries sustained as a result of their activities are recorded in the accident book and reported to the Company management team.
- ensure that any near – miss incidents are reported to the Company management team.
- provide trained and competent operatives, and ensure their attendance at any training course arranged by the Company.
- ensure that their employees are provided with the appropriate personal protective equipment and that it is used as directed.
- cooperate with the health and safety advisor during inspections and audits.
- set a personal example of safe behaviour.

Visitors to Company Premises

The Company management ensures safe access and egress for all visitors to all Company managed premises. In order to ensure their safety and well-being, all visitors to Company premises must:

- sign into the visitor's book and read the Company's safety rules.
- not enter any working areas unless accompanied by a Company representative.
- observe at all times the Company's safety rules and safety procedures.
- wear any personal protective equipment (PPE) as instructed.

Part 3 – Health & Safety Arrangements

Health & Safety Assistance

Altered Images has formally appointed MSA Safety Ltd. as their competent advisors on matters of Health and Safety under Regulation 7 of the Management of Health and Safety at Work Regulations 1999.

Safety Management System (SMS)

MSA Safety annually review our safety management system (SMS) which is based on HSE guidance document HS(G) 65 – Managing for Health and Safety and is used to manage and store all health and safety documentation.

Reviews & Updates

Altered Images will undertake an annual review with the consultants. The review will be attended by the consultants and at least one member of senior management. The review will involve discussion of the previous year's safety performance, including a check on compliance with the management system, any updates needed for this policy, future training requirements and any other safety or health needs that are relevant.

Personnel within the Company will stay up to date on matters of health and safety by receiving a quarterly newsletter from the consultants and attending seminars throughout the year as well as any other training. Newsletters will either be distributed to the Company personnel or displayed on noticeboards.

Risk Assessments & Method Statements

The Company ensures that risk assessments are carried out for tasks that involve significant risks to employees or others. Any self-employed personnel working on the Company's behalf will be required to work in accordance with these risk assessments. Subcontractors are responsible for carrying out their own risk assessments, and these will be reviewed and approved prior to them being permitted to start work.

The person within Altered Images responsible for ensuring that risk assessments are carried out to a suitable and sufficient standard and are updated on a regular basis is Robert Edwards.

The Company requires the information in risk assessments to enable the coordination of other contractors.

The following procedure will be used to write risk assessments:

- identify hazards and who could be affected.
- evaluate risks, taking into account the likelihood and severity.
- control the risks, using the principles of prevention (see below).
- monitor the effectiveness of the control measures.
- review periodically and as necessary.

Method statements may be required in addition to risk assessments. These method statements outline the safe working procedures and will include the control measures detailed in the risk assessments.

Methods of controlling risks will follow the principles of prevention below:

- avoid risks at source.
- evaluate those risks which cannot be avoided.
- combat risks at source.
- adapt the work to the individual, especially with regard to the design of workplaces and the choice of work equipment.
- adapt to technical progress.
- replace the dangerous by the non-dangerous or less dangerous.
- develop a coherent overall prevention policy, which covers technology, organisation of work, working conditions, social relationships and the influence of factors relating to the working environment.
- give collective protective measures priority over individual protective measures.
- give appropriate instructions to employees.

Risk assessments and method statements (RAMS) will be communicated to all personnel by means of toolbox talks and by distributing copies to individuals. Each of the relevant personnel will sign to confirm that they understand the contents of the RAMS and confirm that they will be working in accordance with it.

Young Person's Risk Assessment

Young persons are those who have left school but are under the age of 18, and because of their age, employers are required under the Management of Health & Safety at Work Regulations 1999 to carry out a specific risk assessment carried.

The assessment will be carried because there are special issues that can affect them as a result of lack of experience in the workplace, lack of awareness of risk, risk perception and physical vulnerability.

Any young persons' risk assessments will be undertaken on a personal basis with each young person that we employ. The assessment will identify particular hazards, specify and name a mentor who will be responsible for the welfare of the young person and will also stipulate any restrictions on the work to be done.

Assistance may also be sought from MSA Safety in producing a young person's risk assessment.

Health Surveillance

It is the aim of Altered Images that all employees are able to carry out their working duties without risks to their health. In order to monitor the effectiveness of health protection systems, surveillance will be undertaken.

All employees of the Company will be provided with a questionnaire which should be completed and returned to the office.

All answers provided in the questionnaire and from any other surveillance will be held in confidence under the requirements of the Data Protection Act 2018.

Any issues identified during the surveillance process will be discussed with the employee in question and Robert Edwards. Appropriate action will be taken to protect employees from further risk and where possible to arrange support services and medical care.

Completed health surveillance forms will be kept on file and stored separately for confidentiality.

Training

The Company recognises the importance of providing all our employees with adequate health and safety training.

On recruitment, all personnel are assessed for their individual training needs. Information and certification are obtained for previous training, and any further training required is identified and recorded on the training matrix. The training matrix is maintained regularly to ensure that it is kept up to date and is stored in the SMS along with the certificates. The training matrix is maintained by the Director.

All personnel will be required to attend a safety induction prior to starting work for or on behalf of the Company. Induction training into the Company will include:

- the Company's health and safety policy.
- procedures for reporting of accidents and near misses.
- risk assessments and safe methods of work.

- first aid arrangements.
- sources of health and safety information.
- correct use of personal protective equipment where provided.
- the role and function of the Company health and safety consultant.
- the consultation procedures.

Safety Awareness Training

The Company has adopted the IOSH and CITB Site Safety Plus scheme for the provision of safety awareness training for employees at all levels:

- 1-day Health and Safety Awareness for Operatives.
- 2-day Site Supervisors Safety Training Scheme for Supervisors.
- 5-day Site Management Safety Training Scheme for Managers.
- 1-day IOSH Leading Safely.
- 3-day IOSH Managing Safely.

Specialist Training

Specific training will be given to those who require it. This may include:

- First aid.
- Manual handling.
- Asbestos awareness (UKATA or equivalent).
- PASMA scaffold tower training.
- Work at height.

Consultation & Communication

The Company will ensure that it takes a proactive role to promote the content, guidance and benefits of this policy by communicating the contents and responsibilities at induction.

The Company will encourage feedback from our employees and third parties with regard to the measures enforced and the reasoning behind this policy and safe working practices.

Consultation with the work force is a responsibility of the Managing Director and Surveyor who carries this out during their site visits. All employees are encouraged to feedback on any health and safety issues they may have and where they believe the Company can improve on the current procedures. During the communication and consultation processes, particular emphasis will be placed on:

- the Company's commitment to health and safety.
- feedback on risk assessments/method statements.
- health & safety training requirements.
- the responsibilities of employees to co-operate and work safely.
- the contents of this policy, such as safe working procedures, etc.
- any specific site-based issues.

They will record any issues raised on the Company inspection report form and these will be discussed during management meetings and any actions taken will be relayed back to the employee.

Management of Contractors

Altered Images acknowledges our duty to control, coordinate and monitor the activities of all other contractors under our control. Specialist subcontract companies will be engaged by the Company as and when required. These organisations will be required to pass the core criteria for demonstrating competence as set out in PAS 91:2013.

The Company will satisfy itself that contractors are competent (sufficient skills, knowledge and experience) to do the job safely and without risks to health and safety. To achieve this the contractor will need complete a health and safety questionnaire before they are considered for work on the Company's behalf. A health and safety appraisal of the contractor's procedures and health and safety documentation will then be carried out, which in some cases may involve an audit of the contractor.

Alternatively, if the contractor can demonstrate that they hold an accreditation with a member of the Safety Schemes in Procurement Forum (SSIP), this will exempt them from the health and safety part of the questionnaire.

All contractors will attend a pre-start meeting to a prepared agenda and minutes of the meeting will be taken. Work instructions will then be issued and a plan of work detailing the frequency of co-ordination meetings, toolbox talks, etc.

All contractors are expected to cooperate fully on health and safety issues and conform to specific rules and procedures. The Surveyor ensures the exchange of information necessary for the safe coordination of work activities.

Any designers employed by the Company, or on the Company's behalf, will be subject to the same contractor appraisal procedure as above.

Self-Employed Labour

The Company will ensure the competence of self-employed subcontractors by ensuring the following:

- each self-employed subcontractor engaged to work on site on behalf of the Company must hold a current CSCS card or an equivalent at an appropriate level and have the appropriate experience necessary to carry out the work. This will be established by the Managing Director before allowing the worker to start on site.
- each self-employed subcontractor will be assessed by the Managing Director during the first 2 weeks to see if they are a suitable worker. The findings will be discussed with the Supervisor before a final decision is made as to whether to continue with the engagement.
- self-employed subcontractors will be expected to comply with all requirements of this policy when working on behalf of Company.

Self-employed subcontract labour will be expected to work to the Company's risk assessments and method statements when working on the Company's behalf.

Accidents

Altered Images aspire to maintaining a healthy and safe working environment for all our employees. All reasonable steps are taken to ensure staff are made aware of their responsibility for good working practices and accident prevention. However, the Company recognises that incidents may occur that could result in injury or material damage. Accident reporting is not only a legal requirement but also a necessity to ensure safer future working environments for all employees, customers and visitors to the organisation.

To this end, by enforcing the measures in this policy, the Company encourages positive participation in safe working practices in order to prevent accidents happening in the first place.

All accidents, no matter how small, will be recorded in the accident book. The Managing Director and Surveyor will be informed as soon as possible after the incident. Specified injuries or fatalities must be reported to the HSE immediately and should be notified by phone on 0345 300 9923.

Situations where the injured person is unable to carry out their normal work for 7 days or more must be reported to the HSE within 15 days of the injury being sustained. The HSE may be contacted via the internet at www.hse.gov.uk. If unsure whether the accident is reportable or not, contact MSA Safety immediately for advice.

Anthony Williams will be responsible for informing the HSE of all reportable incidents and for informing MSA Safety of any serious accidents.

Where accidents are reportable under RIDDOR, the Company will seek assistance from our consultants, to investigate and produce a report.

Information on accidents that have occurred is to be found in the SMS. This information must not contain personal details of those involved. Accidents will be discussed at regular safety meetings and publicised to our employees if appropriate so that others can learn from these events.

Reportable Injuries/Diseases	Dangerous Occurrences
<p>Deaths All deaths to workers and non-workers must be reported if they arise from a work-related accident, including an act of physical violence to a worker. Suicides are not reportable, as the death does not result from a work-related accident.</p> <p>Specified injuries to workers</p> <ul style="list-style-type: none"> ▪ a fracture, other than to fingers, thumbs or toes. ▪ amputation of an arm, hand, finger, thumb, leg, foot or toe. ▪ permanent loss of sight or reduction of sight. ▪ crush injuries leading to internal organ damage. ▪ serious burns (covering more than 10% of the body, damage to the eyes, respiratory system or other vital organs). ▪ scalpings (separation of skin from the head) which require hospital treatment). ▪ unconsciousness caused by head injury or asphyxia. ▪ any other injury arising from working in an enclosed space, which leads to hypothermia, heat-induced illness or requires resuscitation or admittance to hospital for more than 24 hours. <p>Over seven-day injuries to workers This is where an employee, or self-employed person, is away from work or unable to perform their normal work duties for more than seven consecutive days (not counting the day of the accident).</p> <p>Reportable occupational diseases</p> <ul style="list-style-type: none"> ▪ carpal tunnel syndrome. ▪ severe cramp of the hand or forearm. ▪ occupational dermatitis. ▪ hand-arm vibration syndrome. ▪ occupational asthma. ▪ tendonitis or tenosynovitis of the hand or forearm. ▪ any occupational cancer. ▪ any disease attributed to an occupational exposure to a biological agent. 	<p>Dangerous occurrences Dangerous occurrences are certain, specified 'near-miss' events (incidents with the potential to cause harm.) Not all such events require reporting. There are 27 categories of dangerous occurrences that are relevant to most workplaces. For example:</p> <ul style="list-style-type: none"> ▪ the collapse, overturning or failure of load-bearing parts of lifts and lifting equipment. ▪ plant or equipment coming into contact with overhead power lines. ▪ explosions or fires causing work to be stopped for more than 24 hours. ▪ the complete or partial collapse (including falling, buckling or overturning) of: <ul style="list-style-type: none"> a) a substantial part of any scaffold more than 5 metres in height. b) any supporting part of any slung or suspended scaffold which causes a working platform to fall (whether or not in use); or c) any part of any scaffold in circumstances such that there would be a significant risk of drowning to a person falling from the scaffold. ▪ structural collapse – The collapse or partial collapse of any building involving over 5 tonnes of material or a collapse of any false-work. ▪ failure of a pressure vessel. ▪ electrical incidents causing explosion or fire. Any explosion or fire caused by an electrical short circuit or overload (including those resulting from accidental damage to the electrical plant) which either: <ul style="list-style-type: none"> a) results in the stoppage of the plant involved for more than 24 hours; or b) causes a significant risk of death. ▪ explosion or fire - any unintentional explosion or fire in any plant or premises which results in the stoppage of that plant, or the suspension of normal work in those premises for more than 24 hours.

Fire

Fire safety on site will be controlled through the Health & Safety Method Statement. Arrangements will be devised to comply with the Loss Prevention Council's guidance on Fire Precautions on construction sites. As a general rule all items of mobile plant with a cabin will carry a suitably maintained fire extinguisher.

Employees working on external sites will be made aware of the fire plan for that location at the time of their induction. Any work carried out that increases the risk of fire should have a fire extinguisher nearby and is likely to require a hot works permit.

All personnel working on external site locations will co-operate with the Principal Contractor/Client on all matters of fire management. These may include taking part in fire drills, signing in and out and informing the site manager/client's representative if any fire exit signs need to be removed as part of preparation work.

Health Risk Management

Altered Images are fully aware of the responsibility for ensuring that health risks are identified and controlled to protect our employees whilst working for the Company. The policy for managing these risks are as follows:

Asbestos

Asbestos is a fibrous mineral that can cause fatal lung diseases if inhaled. It was used extensively in buildings up to the early 1980's; it may have been used in buildings up to as late as 1999. The material cannot be easily identified by appearance only and is often concealed by other materials or coatings.

When working on refurbishment projects, or within buildings built prior to 2000, the Company personnel are instructed to request the asbestos register and carry out a risk assessment before work starts. It is important to be aware of the potential presence of asbestos and the Company ensures that all personnel who could carry out work where asbestos may be present, have received Asbestos Awareness training.

If asbestos is known to be present and has the potential to be disturbed by the work activity, then this will be referred back to the Principal Contractor or Client who will make arrangements to have a refurbishment/demolition survey carried out and if required, the asbestos will be removed.

Altered Images will not be carrying out non-licensed work with asbestos.










Hazardous Substances (COSHH)

Company employees will be required to use a wide variety of manufactured chemicals during the course of their work activities. Material safety data sheets (MSDS) will be obtained and COSHH assessments will be provided for all of these whether manufactured or created as part of a process or activity.

These COSHH assessments will be provided to all users of hazardous substances to inform them of hazards and how to use, handle and store them safely. Where information is available in the document EH40, the Workplace Exposure Limits (WEL) will be stated on the COSHH assessment. This information will be communicated to all relevant personnel, including the control measures required to use the substance safely.

COSHH assessments and material safety data sheets will be stored in the SMS and provided to the employees as part of a safety information pack.

Hazard warning markings on containers must also be heeded. An explanation of the common warning signs follows:

	Acute toxicity, very toxic (fatal), toxic etc.		Harmful skin irritation, serious eye irritation		Harmful to the environment
	Gasses under pressure		Explosive, self-reactive, organic peroxide		Oxidising gases, oxidising liquids, oxidising solids
	Corrosive (causes severe skin burns and eye damage), serious eye damage		Respiratory sensitizer, mutagen, carcinogen, reproductive toxicity, systemic target organ toxicity, aspiration hazard		Flammable gasses, flammable liquids, flammable solids, flammable aerosols, organic peroxides, self-reactive, pyrophoric, self-heating, contact with water emits flammable gas

Dust control/management

This leaflet is for employers and managers, but employees and health and safety professionals may also find it useful. It will help you understand what you need to do to comply with the Control of Substances Hazardous to Health Regulations 2002 (COSHH) and gives advice on the precautions that may be needed to prevent or adequately control exposure. <https://www.hse.gov.uk/coshh/>

Noise

Excessive noise can cause permanent damage to hearing. The damage is often gradual and is always irreversible. Even a small amount of hearing loss can have a debilitating effect on a person's quality of life. Where noise levels exceed the exposure limits, personnel must wear their hearing protection. They will be provided with the protection that is the most comfortable to them and will be shown how they are to be worn correctly to ensure their effectiveness.

Exposure Limit Values:

- lower exposure action values are, 80dB(A) or peak sound pressure of 135 dB(C).
- upper exposure action values are, 85dB(A) or peak sound pressure of 137 dB(C).
- daily/weekly exposure limit values are, 87dB(A) or peak sound pressure of 140 dB(C).

If the noise levels are excessive and for long periods of time, then noise assessments may need to be carried out. As a guide:

- if conversation at 2 metres is possible but challenging, the noise level is probably 80dB(A) or more. Assessment will be required if noise level is like this for more than about six hours per day in total.
- if employees are exposed to noise which makes it necessary to shout to talk to someone 2 metres away, the noise level is probably 85dB(A) or more. Assessment will be required if noise level is like this for more than about two hours per day in total.
- if employees are exposed to noise which makes it necessary to shout to talk to someone 1 metres away, the noise level is probably 90 dB or more. Assessment will be required if noise level is like this for any length of time.

At 80dB(A), employers are required to provide hearing protection and attempt to reduce noise levels. At 85dB(A), employers are required to provide hearing protection, train employees in their use, ensure they are used when needed and properly and attempt to reduce noise levels.

Vibration

Hand - Arm Vibration Syndrome (HAVS) is a disorder which affects the blood vessels, nerves, muscles and joints of the hand, wrist and arm. The syndrome can become severely disabling if ignored. A common form of HAVS is Vibration White Finger (V.W.F.) which can result from the transmission of vibration from a vibrating implement (such as impact drills) to the hands, occurring as a result of medium to long term exposure. This condition is not treatable and therefore results in a permanent potentially life changing condition.

Exposure is measured on a points system (see below). If the daily exposure exceeds 100 points (the Exposure Action value), the Company will endeavour to reduce exposure, keep records of exposure and carry out health monitoring for those affected. Tools and machinery varies enormously in vibration magnitude, depending on the quality, design and how well maintained it is. This means that the tool will need to be assessed to give the time duration that they can be used.

- pallet trucks.
- sack trucks.
- barrow hoists.
- providing training to staff in safe handling techniques.

If manual handling cannot be avoided, an assessment must be made and included with the risk assessment for the task.

Silica

Silica is otherwise known as quartz, the principal component of sand. It is an ingredient in many building products. The products and processes that would cause most concern for the Company's work activities, include:

- bricks – when drilling/chasing out.
- blocks – when drilling/chasing out.
- mortars – when chasing out or mixing.
- ceramic tiles – when drilling.

When these products are cut, a mixture of inhalable (larger) and respirable (smaller) particles is released. Respirable Crystalline Silica dust is responsible for causing or increasing the risk of a number of serious lung diseases including:

- silicosis.
- COPD (Chronic Obstructive Pulmonary Disease).
- tuberculosis.
- lung Cancer.

The Workplace Exposure Limit for Silica dust is 0.1mg per m³ over an 8-hour period. In order to reduce exposure below this limit, the Company will ensure the following precautions are taken:

- avoid producing the dust – at design stage, consider the use of alternative or pre-cut materials.
- reduce the dust at source – by wetting down the cutting operation or by using suitable on-tool extraction equipment.
- issue the correct RPE – (Filtering Face-piece Particulate) FFP3 masks will filter out 95% of the particulate.
- make sure it is worn – by providing training and supervision.
- make sure it works properly – by fit testing individuals.

Welfare

As an employer, Altered Images is required to ensure that welfare facilities exist for the use of our employees. It is the employer's duty under both Section 2(2) e of the Health and Safety at Work etc. Act 1974 and under CDM 2015/ The Workplace (Health, Safety & Welfare) Regulations 1992 to ensure that work is not carried out in the absence of these facilities.

The Regulations require the following facilities to be in place and maintained in a reasonable state.

- sanitary conveniences.
- chairs with backs.
- washing facilities.
- drinking water.
- facilities for rest and preparing food.
- changing rooms with lockers.

Our workers are expected to play their part in keeping the welfare facilities tidy and will report any defects with the facilities (such as malfunctioning water heaters or blocked toilets) to the site manager as soon as possible.

First Aid

The name of the first aiders within the office will be displayed on the safety notice board. The first aiders will regularly check and replenish the first aid boxes when required. They will also be responsible for ensuring that accidents are recorded in the accident book and reported to Robert Edwards. First Aid information can be found on display on the safety notice board.

A qualified first aider is required to be present on all sites. This would usually be an employee of the premises. If no employees of the Company are present on site who has received first aid training, then the Managing Director must ensure that a qualified first aider is present on the site. The location of any first aid equipment should be brought to the attention of all site workers by the site manager at the time of their site induction.

Where the Company provides a first aider, it will be that individual's responsibility to ensure that first aid boxes are checked regularly and replenished as necessary.

Stress Management

The definition of stress is an adverse reaction experienced by some people as a result of excessive pressure. Stress can occur when work demands exceed the person's capacity and capability to cope. If stress is intense and/or prolonged it can lead to poor mental and physical health (e.g. depression, nervous breakdown, heart disease).

All new starts will be required attend the Company induction during their first 2 weeks which includes how the Company manage stress. Th induction reinforces the open culture that Altered Images aspire to and that it is OK to raise issues or concerns with your line manager if things become overwhelming. The company encourages an open culture to demonstrate that it is 'safe' for employees to communicate any concerns to their line manager or HR.

It is the line manager's responsibility to design the workplace, job tasks and demands to ensure that employees are not subject to prolonged and/or excessive pressure. The line manager is responsible for assessing the risks associated with stress within their departments and taking adequate steps to prevent stress occurring.

Altered Images will endeavour to work to the HSE's management standards in order to reduce the risk of workplace stress. These standards aim to tackle the following primary sources of stress at work.

- **Demands** – this includes issues such as workload, work patterns and the work environment.
- **Control** – how much say the person has in the way they do their work.
- **Support** – this includes the encouragement, sponsorship and resources provided by the organisation, line management and colleagues.
- **Relationships** – this includes promoting positive working to avoid conflict and dealing with unacceptable behaviour.
- **Role** – whether people understand their role within the organisation and whether the organisation ensures that they do not have conflicting roles.
- **Change** – how organisational change (large or small) is managed and communicated in the organisation.

Mental Health First Aid

Mental ill health and stress are associated with many of the leading causes of disease and disability in our society. Promoting and protecting the mental wellbeing of our workforce is important for individuals' physical health, social wellbeing and productivity.

Altered Images, vision is to normalise society's attitudes and behaviours around mental health, by developing the skills needed to look after our own and others' wellbeing.

Many factors in the workplace influence the mental wellbeing of individual employees, particular departments or the company as a whole. Understanding and addressing the factors which affect people's mental wellbeing at work have a wide range of benefits, both for individuals and the company.

Mental wellbeing in the workplace is relevant to all employees and everyone can contribute to improved mental wellbeing at work. Addressing workplace mental wellbeing can help strengthen the positive, protective factors of employment, reduce risk factors for mental ill health and improve general health.

Coping with stress in the workplace starts with being able to have a conversation with your manager, and in a mentally healthy organisation everyone should feel comfortable talking about stress.

As a company we aim to create and promote a workplace environment that supports and promotes the mental wellbeing of all our employees. We acknowledge that certain working conditions and practices can negatively affect employees' mental wellbeing, including aspects of work organisation and management, environmental and social conditions that have the potential for psychological as well as physical harm.

To achieve those aims we will endeavour to:

- give employees information on and increase their awareness of mental wellbeing.
- offer employees flexible working arrangements that promote their mental wellbeing.
- give all staff the opportunity to influence how they do their jobs, scope for varying their working conditions as far as possible, and opportunities to develop and fully utilise their skills.
- set employees realistic targets that do not require them to work unreasonable hours.
- ensure all staff have clearly defined job descriptions, objectives and responsibilities and provide them with good management support, appropriate training and adequate resources to do their job.
- manage conflict effectively and ensure the workplace is free from bullying and harassment, discrimination and racism.
- establish good two-way communication to ensure staff involvement, particularly during periods of organisational change.

First aid guidance has been updated L74 (third edition 2024),

It is worthy of note that the guidance to the first aid at work regulations has been changed (L74-2024) and now includes a recommendation that "It may also be helpful to have people trained to identify and understand mental ill health symptoms who are able to support someone who is experiencing a mental health issue". With this in mind we will give due consideration to the appointment and training of mental health first aiders and/or "champions". See link, <https://www.hse.gov.uk/pubns/priced/l74.pdf>

Personal Protective Equipment (PPE)

Following risk assessment there will be times where not all risks can be avoided. These are dealt with by the provision of personal protective equipment (PPE). The Company will ensure that suitable PPE is provided to their employees who may be exposed to a risk to their health and safety while at work.

PPE must be:

- of a standard that will adequately protect the person from the risks.
- replaced when worn out.
- properly looked after by the person using it.
- compatible with other PPE, if more than one item is required.
- regarded as the last resort in risk control.

Drugs & Alcohol

The Company regards the promotion of health and safety matters as a mutual objective of both management and employees. The effective management of drug and alcohol abuse is an important part of this.

It is the policy of Altered Images:

- to comply with all current legislation, in particular the Health & Safety at Work etc. Act 1974, the Misuse of Drugs Act 1971 and the Transport and Works Act 1992.
- to not knowingly permit any employee of the Company, contractors and self-employed working on the Company's behalf, to report for work or attend work premises under the influence of alcohol or drugs, nor to consume these whilst on duty or on our premises.
- to implement control measures to prevent, as far as reasonably practicable, such people reporting for work or attending work premises when affected by drugs or excess alcohol or consuming drugs or alcohol at work.

These measures may include pre-employment, post incident and unannounced random drugs and alcohol screening:

- to provide a positive approach to those persons seeking help or guidance in overcoming alcohol and/or drug related problems, but only where these problems are raised at any time prior to being selected for random testing.
- to not knowingly employ or retain any person, directly or indirectly, who has been justifiably dismissed by any employer for drug and/or alcohol related offences within the previous 12 months.
- to take suitable action, usually dismissal or termination of contract, against anyone testing positive to alcohol or drugs in breach of this policy.

Any person found to have tested positive after any drug or alcohol test will be immediately suspended from the work in which they are engaged, pending a full investigation.

Any person, testing positive for drugs or excess alcohol, or refusing to take a test, face sanctions up to and including termination of contract.

Lone Working

Altered Images will ensure, so far as is reasonably practicable, that employees who are required to work at home or alone or unsupervised for significant periods of time, are protected from risks to their health and safety. Measures will also be adopted to protect anyone else affected by solitary working.

Working alone can be a significant risk factor. The Company will either entirely remove the risks from these hazards or, where complete elimination is not possible, to reduce them to an acceptable level.

Risk assessments for working alone will be carried out in accordance with the Management of Health and Safety at Work Regulations 1999. This will include the identification of hazards from, for example, means of access and/or egress, plant, machinery, goods, substances, environment and atmosphere, etc.

Particular consideration will be given to:

- the remoteness or isolation of workplaces.
- any problems of communication.
- the possibility of interference, such as violence or criminal activity from other persons.
- the nature of injury or damage to health and anticipated "worst case" scenario.

All personnel will be given all necessary information, instruction, training and supervision to enable them to recognise the hazards and appreciate the risks involved with working alone. All personnel will be required to follow the safe working procedures devised which will include the provision of first aid, communication procedures and awareness of emergency procedures. All personnel are required to cooperate with these efforts to ensure safe working and to report any concerns to management.

Office Safety

The Company is fully aware that accidents can happen in the office, as well as at external locations or sites, and will endeavour to reduce the risk of such an accident by the following means:

- wastepaper bins and packing materials will be removed daily.
- cables will be managed to defined routes, so that they do not present a trip hazard or an over-load to a circuit.
- training will be provided to employees in the correct use of fire extinguishers, where required.

- the Company will check lighting levels to ensure they are suitable for the tasks being undertaken. The lighting will be regularly cleaned to ensure efficiency.
- shelving and storage areas will be provided to reduce the possibility for stretching and/or awkward lifting.
- cleaning chemicals will be kept away from foodstuffs in the kitchen area.

Display Screen Equipment

The Company complies with the provision of the Display Screen Equipment Regulations 1992 by ensuring the following:

- workstations will be analysed and assessed to reduce risks to health. Records of DSE assessments can be found in the SMS.
- workstations will comply with the requirements of schedule 1 of the regulations in relation to the equipment used. This will include the desk, chair, screen and other relevant items.
- the daily work routine of users allows for breaks away from the screen and/or changes in activity.
- eye and eyesight tests carried out by a competent person are provided on a regular basis, for employees who use display screen equipment.
- if deemed appropriate by the person carrying out the tests, corrective visual appliances will be provided by the Company, if this is required under the regulations.
- training in the use of display screen equipment will be provided to users.

New & Expectant Mothers

Altered Images will assess specific risks for new and expectant mothers in the workplace, to comply with Regulations 16, 17 and 18 of the Management of Health and Safety Regulations 1999. These risks can be from any process, working conditions, or physical, biological or chemical agents.

Consideration will be given to:

- lifting/carrying of heavy loads.
- standing or sitting for long lengths of time.
- exposure to infectious diseases.
- work-related stress.
- workstations and posture.
- threat of violence in the workplace.
- long working hours.
- excessively noisy workplaces.

The Company will regularly monitor and review any assessment made to take into account possible risks that may occur at different stages of pregnancy.

The Company will also take into account, during the specific risk assessment, any medical advice from the new and expectant mother's GP or midwife about their health and make reasonable adjustments to their working conditions accordingly.

Construction (Design and Management) Regulations 2015 Project Management

Under the requirements of the Construction (Design and Management) Regulations 2015 (CDM), Altered Images, will take on the duties of Principal Contractor and Contractor. For work on Company premises, we will also take on the duties of the Client. The following summarises these duties.

Responsibilities as a Principal Contractor Under CDM 2015

On projects with more than one contractor, the company may be appointed by the Client to undertake the role of Principal Contractor under the Construction (Design and Management) Regulations 2015.

Altered Images will comply with their duties as Principal Contractor under Regulations 8, 13 and 14 as follows. Project specific details on how these duties will be achieved will be found within their Construction Phase Plans.

Regulation 8 duties

The Company will:

- only accept an appointment if they possess the necessary skills, experience, training and organisational capacity to carry out the work safely.
- not appoint a Designer or Contractor unless they have the necessary skills, experience, training and organisational capacity to carry out work safely.
- cooperate with others involved in all projects in order to promote health and safety standards.
- inform their workforce and all others on site of the need to report to site management anything which is likely to endanger their own health or safety or that of others.
- ensure that information is provided in a comprehensible form and as soon as is practicable.
- undertake the duties of the Client where they are a Domestic Client, in collaboration with the Designer or Principal Designer.

<https://www.legislation.gov.uk/ukxi/2015/51/regulation/8>

Regulation 13 Duties

The Company will:

- plan, manage, monitor and coordinate the construction phase to ensure that, so far as is reasonably practicable, construction work is carried out without risks to health or safety.
- take into account the General Principles of Prevention when making decisions regarding the design, technical and organisational aspects of a project, when estimating time required and when programming work.
- organise cooperation between contractors (including successive contractors on the same construction site).
- coordinate implementation by the contractors of applicable legal requirements for health and safety.
- ensure that employers and self-employed persons apply the general principles of prevention when undertaking their work.
- ensure that employers and self-employed persons follow the construction phase plan.
- provide a suitable site induction.
- take the necessary steps to prevent access by unauthorised persons to the construction site.
- provide suitable and sufficient welfare facilities throughout the construction phase.
- liaise with the Principal Designer for the duration of his/her appointment and share information with the Principal Designer relevant to the planning, management and monitoring of the preconstruction phase, as well as the coordination of health and safety matters during the preconstruction phase.

<https://www.legislation.gov.uk/uksi/2015/51/regulation/13>

Regulation 14 Duties

The Company will:

- make the necessary arrangements for cooperation between themselves and all others involved in the work.
- make the necessary arrangements to consult with the workforce on site in good time.
- provide the facilities necessary to enable workers to take copies of relevant information.

<https://www.legislation.gov.uk/uksi/2015/51/regulation/14>

Responsibilities as a Contractor Under CDM 2015

When undertaking the role of Contractor under the Construction (Design and Management) Regulations 2015, Altered Images will comply with their duties under Regulations 8 and 15 as follows:

For all projects

The Company will:

- only accept an appointment if they possess the necessary skills, experience, training and organisational capacity to carry out the work safely.
- only undertake construction work once they are satisfied that the client is aware of their duties.
- plan, manage and monitor their work and that of others under their control to ensure that, so far as is reasonably practicable, it is carried out without risks to health and safety.
- not appoint a designer or contractor unless they have the necessary skills, experience, training and organisational capacity to carry out work safely.
- not employ a person unless that person has, or is in the process of obtaining, the necessary skills, knowledge, training and experience to carry out tasks safely.
- provide their workforce with appropriate supervision, instructions and information. This information will include a suitable site induction, (where not already provided), procedures to be followed in the event of serious and imminent danger and any other necessary information on risks to health and safety.
- ensure that information is provided in a comprehensible form and as soon as is practicable.
- cooperate with others involved in all projects in order to promote health and safety standards.
- inform the workforce of the need to report to site management anything which is likely to endanger their own health or safety or that of others.
- not begin work unless reasonable steps have been taken to prevent access by unauthorised persons to the site.
- be satisfied that welfare facilities are provided as required under Schedule 2 of the Regulations.

For multiple contractor projects where the Company is NOT Principal Contractor.

The Company will:

- comply with any directions given by the Principal Designer or the Principal Contractor.
- adhere to relevant parts of the Construction Phase Plan.

For projects when the Company is the only contractor

They will:

- take account of the general principles of prevention when design, technical and organisational aspects are being decided in order to plan the various items or stages of work, as well as when estimating the period of time required to complete the work or work stages.
- draw up or make arrangements for a Construction Phase Plan to be drawn up, as soon as is practicable prior to setting up a construction site.
- undertake the duties of the Client where they are a Domestic Client, in collaboration with the Designer or Principal Designer.

Work Activities

During the course of its operations, Altered Images carry out various work activities which could expose Company personnel to significant risks if not controlled. The Company, as stated previously, will ensure that risk assessments are carried out for all significant risks and that, where required, method statements are prepared and communicated to all relevant personnel. The following are the more significant work activities carried out by the Company.

Working with Electricity

Work with electricity will be carried out in accordance with the latest edition of the IET Wiring Regulations and the HSE document: HS(G) 85 – Electricity at Work: Safe Working Practices.

<https://www.hse.gov.uk/pubns/books/hsg85.htm>

Planning of the work is essential and will consider the management, supervision, implementation and completion of the work. Following this a site-specific method statement and risk assessment will be prepared. This will include:

- the work to be done.
- the hazards of the system or equipment to be worked on and the risks associated with the work.
- the people doing the work, their competence and the level of supervision necessary.
- the precautions to be taken and the system of work to be employed.
- the possibility that the nature of the work may change, e.g. a testing job may turn into fault finding.

A permit-to-work procedure will always be adopted when working on electrical systems. This will be operated by the Supervisors.

The Managing Director will ensure that adequate information is available about the electrical system and the work to be carried out. Where work is to be carried out on newly constructed electrical systems (or newly installed equipment), drawings and schedules relating to the design should be available and provided to the electricians prior to the work, where possible.

Records in the form of drawings and/or schedules will be provided to the Client and kept for all but the most basic of installations.

Working with Gas

Any installation or maintenance on gas appliances will be carried out in accordance with the Gas Safety (Installation and Use) Regulations 1998. Only Gas Safe registered engineers will carry out any work on gas appliances.

The Company Gas Safe Registration is updated annually and will meet the requirements of the registration, which include:

- personal Gas Safe Registration of gas engineers will be updated annually.
- re-training and re-assessment will be carried out every 5 years in accordance with Gas Safe rules and regulations.
- the Company or the employing organisation (Principal Contractor) will notify Gas Safe of all gas appliances fitted.
- engineers will adhere strictly to all Gas Safe standards of work and installation.

A site-specific risk assessment and method statement will be prepared prior to work starting on gas systems or appliances. A permit-to-work procedure will always be adopted when working on gas systems. This will be operated by the Supervisors.

Working with Power Tools

The person within the company with responsibility to oversee the safety of tools is the Managing Director; however, the engineers must ensure the safe use, care and maintenance of their own equipment. Records of regular inspections of tools and other work equipment including access equipment are to be found in the SMS.

Electrical Tools

Only trained and competent personnel will be permitted to operate power tools. The policy of the Company for the provision and use of power tools is to ensure:

- only battery powered or 110v electrical tools to be permitted for use on site.
- all tools will be inspected before use, and regularly whilst in use.

- all electrical tools will be tested and examined by a competent person, every 6 months, who will issue a certificate of safety.
- the Surveyor is responsible for ensuring that portable appliance testing is carried out on a regular basis. Records of PA testing will be kept in the SMS.

Hand Tools

Individual engineers are responsible for ensuring that their hand tools are kept in good order. They will ensure the following:

- tools will always be kept in good working condition.
- tools will be kept clean and ready for use and stored appropriately in toolboxes or racks with cutting edges protected.
- tools will be checked frequently to ensure that handles are secure, and guards and covers are in place.

The use, suitability and condition of work equipment and tools will be regularly monitored by the Managing Director and Surveyor during their site safety inspections.

Personnel are required to report any defects to the Managing Director and not to use any items that are in poor condition.

Use of Abrasive Wheels

Abrasive wheels are used by the Company on occasions and can be particularly hazardous. For this reason, only persons trained in the mounting and use of abrasive wheels will be permitted to use them on site. Discs will be kept in a safe place and discarded as soon as they begin to show signs of excessive wear or unevenness of edge.

PPE will be provided and worn by those using abrasive wheels. If following risk assessment, others who have to work in the vicinity may be at risk from flying debris, then screens will be considered or PPE provided to those working in the area. Eye protection to be worn must comply with BSEN 166B.

Dust will be controlled, wherever possible, by damping down the cutting operation. Most disc cutters are fitted with hose attachments and if they are fitted, they should be used. Where water suppression is not an option, then vacuum systems will be used. Dust masks to a suitable standard (FFP3) will always be worn in order to reduce the risk of respiratory health illnesses.

Plant and Equipment

The proper selection and maintenance of mechanical plant and equipment and the provision of information, instruction and training in their use are the requirements of the Provision and Use of Work Equipment Regulations 1998.

<https://www.hse.gov.uk/work-equipment-machinery/puwer.htm>

The selection of plant and machinery will be the responsibility of the Managing Director, who will ensure that it is suitable for its purpose and that the work area, ground conditions and public safety have been considered prior to it starting work.

Only authorised persons will be permitted to operate plant. Authorisation will only be given to operatives in possession of a certificate of training achievement (CPCS) issued by the CITB or equivalent certificate issued by a recognised training authority.

The Supervisor will ensure copies of certificates of conformity and thorough examination of all items of plant, where appropriate, and CPCS cards and certificates of competence are inspected before commencing work.

Lifting Operations

Altered Images may use mobile cranes for certain tasks. All lifting operations will be carried out in accordance with the Lifting Operations and Lifting Equipment Regulations 1998.

Each crane operation will be treated as unique and will be planned on an individual basis. The Company may be responsible for managing lifting operations or may engage the services of a competent contractor for lifting operations. This will be clearly established before the project begins. In either case, a lifting plan will be drawn up by a competent person (The Appointed Person) for each individual lift.

Items to be considered in the writing of a lifting plan will include the following broad categories:

- the load to be lifted.
- the equipment required.
- the environment in which the lift will take place.
- the competencies of the personnel involved.

If the author of the Lifting Plan cannot be on site to control the operation, a Lift Supervisor will undertake the role of ensuring that the lift is carried out in accordance with the plan.

Temporary Works

The provision and design of temporary works will be carried out in accordance with the recommendations and guidance of BS5975:2019 – *Code of Practice for Temporary Works Procedures and Permissible Stress Design of Falsework*.

The Company will prepare a temporary works procedure which will be provided to each project. This is to ensure adequate control and supervision of the erection, safe use, maintenance and dismantling of the temporary works throughout each project. This will include:

- appointment of Temporary Works Coordinator (TWC).

- appointment of Temporary Works Supervisor (TWS).
- preparation of an adequate design brief.
- provision and maintenance of a temporary works register.
- the provision of a temporary works design.
- independent checking of the temporary works design.
- issue of a design or design check certificate.
- pre-erection inspection of the temporary works materials and components.

The procedure will also include for control and supervision of the erection, safe use, maintenance and dismantling of the temporary works. This will detail how the Company ensures that the temporary works have been erected in accordance with the design and dismantled once permanent works have reached adequate strength, and the issue of 'permits to load' and 'permits to dismantle' respectively, where required.

The roles of the Temporary Works Coordinator and Temporary Works Supervisor will be carried out by trained and competent personnel.

Work at Height

The Work at Height Regulations 2005 require a risk assessment to be carried out prior to starting any work at height. If, as a result of the assessment, there is no alternative to working at height, then suitable work equipment will be selected, taking into account the nature of the work. The Company, therefore, may use various different methods to achieve this.

Scaffolding

In the event scaffolding is provided for use by the Company personnel, then checks will be made to ensure the scaffold has been erected by a competent organisation and that the scaffold has been regularly inspected and that the scaffold register is up to date. Authorisation from the Managing Director must be gained before using any scaffold.

Wherever possible, scaffolds will be erected in accordance with NASC guidance TG20:21, which provide compliant scaffolds designed in accordance with BS EN 12811-1 Temporary Works Equipment – Scaffolds. Compliance sheets will be held on site, for the type of scaffold provided, to ensure it can be inspected in accordance with the relevant compliance sheet.

Any scaffolds that need to be provided that cannot be erected in accordance with TG20:21, will require a bespoke design. No one will be permitted to access the scaffold, until a copy of the design is provided to site and an initial check has been made to ensure compliance.

A competent person should regularly inspect the scaffold in order to comply with the Work at Height Regulations 2005. This inspection will take place:

- following completion of any section of scaffold.
- following any event likely to have affected the stability of the scaffold structure, such as severe weather or being struck by plant.
- following any addition or adaptation.
- no more than every 7 days.

Mobile access towers

For short-term working at height and where scaffolding is not practicable, then mobile access towers will be considered to provide a safe place of work.

The Supervisor will ensure that the manufacturers' instruction manual is provided which explains the erection sequence, including any bracing requirements. If the tower has been hired, the hirer has a duty to provide this information. This information will be passed on to the person erecting the tower, as this will differ slightly depending on the manufacturer.

Mobile access towers will only be erected following a safe method of work and by a competent person who is trained to the standards required by the Prefabricated Access Suppliers' and Manufacturers' Association (PASMA).

Mobile elevated work platforms (MEWP's)

The selection of mobile elevated work platforms (MEWP's) will be the responsibility of the Managing Director, who will ensure that it is suitable for its purpose and that the work area, ground conditions, overhead obstructions and public safety have been considered prior to it starting work.

Only authorised persons will be permitted to operate MEWP's. Authorisation will only be given to operatives in possession of a certificate of training achievement issued by the International Powered Access Federation (IPAF) or equivalent certificate issued by a recognised training authority.

Other access equipment

When work at height is to be carried out from any other form of access equipment, a risk assessment will be carried out to determine the most suitable. The risk assessment for the work will state what access equipment is to be used. Risk assessments are to be found in the SMS. Access equipment for working at height will include:

- podium steps.
- proprietary plastic hop ups.
- step ladders.

The task risk assessment will state what has been deemed to be the most suitable equipment for the job. Wherever possible, falls will be prevented by the use of working platforms with handrails.

Roof Work

All roof work is carried out at height and therefore, the **Work at Height** section above will apply and will cover access to and from the roof area. However, additional hazards may need to be considered when working on roofs. Because roof work involves work at height, Altered Images will ensure that preventing or minimising risk is considered during the planning phase of the work.

A detailed method statement will be prepared prior to the start of any roof work and will include the working positions, access routes to the roof and on the roof, and will also detail:

- how falls are to be prevented, or where this is not possible, minimised.
- how falling materials are to be prevented and controlled, providing protection to both workers and members of the public.
- how risks to health will be controlled.
- how other risks identified at planning and survey stages are to be controlled, e.g. handling hot bitumen.
- what equipment will be needed.
- what competence and/or training is needed.
- who will supervise and check that the control measures are effective.

Fragile roofs

Wherever possible, work on fragile roofs will be avoided. If this is not possible, then precautions will be put into place to prevent a fall or minimise the distance or consequences. This will apply to all roof work activities, including construction, maintenance, repair, cleaning or demolition.

The hierarchy for work on fragile roofs is;

- work from underneath the roof using a suitable work platform.
- where this is not possible, a MEWP will be considered so that roofers can work from within the MEWP basket without standing on the fragile roof.
- if access onto the fragile roof cannot be avoided, perimeter edge protection will be installed, and staging used to spread the load. If all the work and access is on staging or platforms that are fitted with guard rails, safety nets should be installed underneath the roof, or a harness system used; and
- where harnesses will be used only as a last resort and on the condition that adequate anchorage points are available.

A detailed rescue plan will be prepared on all occasions when working on roofs and will be included as part of the site-specific method statement.

Hot Works

All hot works will be strictly controlled, and a permit-to-work procedure will be in place before any work commences. This will be included into any site-specific method statement.

The work location will be surveyed prior to the start of any works to ensure the work area is cleared of all loose combustible material.

Work will be planned to ensure all work areas are cleared of personnel with signs and barriers in place to ensure these areas cannot be accessed during the hot work activities.

All necessary fire-fighting equipment will be available and will have been checked and deemed suitable extinguishing media.

A telephone will be available at all times for emergency and will be readily accessible from the work area.

All hot works will cease not less than one hour before the end of each day and a thorough inspection will be carried out in the vicinity of the work to ensure there is no risk of fire.

Workplace Transport Safety

Altered Images will ensure the Company sites are designed and maintained to ensure provision of suitable segregation of vehicles and people. Separate pedestrian and vehicle traffic routes will be provided wherever possible, using measures such as barriers and signs.

Separate entrances and exits will be provided for vehicles and pedestrians where possible, and vision panels will be installed to doors that open onto vehicle traffic routes.

Delivery vehicles to the Company premises will be under the control of the Supervisor, who will ensure that safe movement of vehicles and pedestrians can be achieved and maintained at all times.

Traffic management plans (TMP) will be prepared, where required, which will clearly detail the traffic routes, turning areas, parking zones, pedestrian routes and loading/unloading areas. The TMP will be regularly reviewed, to ensure any revisions required are communicated to all.

Driving at Work

Altered Images understand our responsibilities to ensure the safety of employees while they are driving on company business and will follow the advice given in the HSE/ Department of Transport document "Driving at Work – Managing Work Related Road Safety".

The Company provides all personnel, expected to drive as part of their work, with a procedure based on the above document, which details their responsibilities when driving at work.

Company vehicles are managed by the Director, who ensures all insurances, driving licences, services and MoT's are provided and regularly reviewed.

All drivers will be expected to carry out daily and weekly checks to their vehicle in accordance with the Company procedure and driver's handbook, and report back any issues to their Line Manager.

The Director will carry out regular monitoring of the procedure for driving at work to ensure its effectiveness and to ensure all documentation is up to date.

Working in Occupied Premises

The Client/building occupier will be consulted prior to any work activity to ensure Supervisors and operatives are fully aware of their emergency arrangements, any specific procedures they will have to adhere to while on the premises, and any areas that require specific authorisation. Any hazardous work activities on the premises that may affect the work force will be highlighted during this consultation.

Access/egress routes will be agreed with the Client/building occupier prior to the works and will be maintained at all times to ensure safe passage to all work areas for people and materials, is always provided.

Good communication between workers and the Client/building occupier is essential and will be maintained at all times, to ensure that when work activities interface with the Client/building occupier operations, hazards are identified, and risks minimised.

Client/building occupiers will be kept informed throughout the work, of all activities and where they might affect them, and what precautions will be taken.

Housekeeping

Good housekeeping is essential in reducing slips, trips and falls at any work location. All work activities will be carefully planned to ensure the work areas are not overcrowded with people, machinery and tools, etc. The need for good housekeeping will be included in risk assessments and may include the management of people, tools, trailing leads, waste, etc.

All work areas will be regularly tidied up during the course of the works to prevent any build-up of debris, clutter, etc.

It is the responsibility of all personnel to keep their work area tidy and orderly throughout the work period, and this is emphasised during the Company induction.

The Supervisor will ensure that arrangements are in place for the removal of accumulated waste in bins, skips, etc., and also to ensure that provision is made for safe and defined stacking of materials and storage of equipment.

Safety Policy Communication

It is the duty of every employer to prepare and update as necessary a policy for health, safety and welfare. It is also a duty for employers to communicate this policy to their employees.

For the purposes of ensuring safety on site, both employees and contractors will be expected to read, understand and adhere to this policy.

It is important that you read through the policy carefully, as it will contain important information on the Company's safety procedures and safe systems of work. It also contains responsibilities that you must undertake and comply with.

If you have any questions about the safety policy, please ask Robert Edwards. If you have any suggestions as to how safety could be improved for this company, please pass these on also.

After you have read through this safety policy, please detach this sheet, sign and date it and pass it back to the Director.

Name:	
Date:	
Signature:	